INDEX TO VOLUME 50

Abbott, W. E.: Metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

Abdomen, desmoid tumor, 304

Abeshouse, B. S.: Malignant renal neoplasms; clinical and pathologic study, 46

Abnormalities and Deformities: See under names of diseases, organs and regions, as Anus; Bladder; Face; Kidneys; etc.

Abscess: See under names of organs and regions

Accidents: See Trauma; etc.

Acrylic Resin as implant for correction of facial deformities, 233

Actinomycosis of bladder, 112

Adams, R.: Postoperative gouty arthritis, 229

Adams, W. E.: Some recent accomplishments of thoracic surgery, 277

Alcohol, Therapy: See under Anus

Allen, A. W.: Meckel's diverticulum containing calculi, 286

Ambulation: See Surgery

American Academy of Orthopaedic Surgeons, progress in orthopedic surgery for 1943; review prepared by Editorial Board of, 89

Amputation, apparatus and technic, 89
  ligation of femoral vein for chronic occlusive arterial disease; review of 118 ligations, 56

Amyloidosis of bladder, 112

Analgesia: See Anesthesia; Pain

Anesthesia: See also Surgery
  blocking of middle cervical and stellate ganglions with descending infiltration anesthesia; technic, accidents and therapeutic indications, 152
  Cold: See Cold
  continuous spinal anesthesia; observations on 1,200 patients, 130

Anesthetics: See Anesthesia

Aneurysm and urinary symptoms, 123
  renal, 107

Anomalies: See under names of diseases, organs and regions

Antisepsis and Antiseptics: See also under Urinary Tract
  prophylaxis of wound infection; studies with reference to soaps and irrigation, 177

Anuria: See Urine, suppression

Anus: See also Rectum
  congenital malformations of anus and rectum; clinical study, 253
  methods for reducing pain following hemorrhoidectomy; technic and results in 72 cases, 293

Apparatus: See also Instruments
  amputations, apparatus and technic, 89
  orthopedic, 92

Appendicitis: See also Appendix
  acute, in childhood, 258

Appendix, Abscess: See Appendicitis
  lymphosarcoma primary in; study of 23 cases, 288

Armies: See Military Medicine

Arteries: See also Aneurysm; Blood, pressure; etc.
  periarterial infiltration in diagnosis and treatment of migraine; experimental and clinical experience with eucupine and procaine hydrochloride, 296

Arthritis, postoperative gouty arthritis, 229

Arthrotomies: See Knee

Atrophy: See under names of organs and regions

Bacteria, Actinobacilli: See Actinomycosis

Basedow's Disease: See Goiter, exophthalmic

Bergman, H. C.: Influence of environmental temperature on shock, 201

Bladder: See also Urinary Tract
  abnormalities; congenital obstruction of vesical neck, 318
  actinomycosis of, 112
  amyloidosis of, 112
  calculi, 315
  diverticulum, 110
  experience with calculus in north China, 82
  Fistula: See Fistula
  gumma of, 112
  trauma, 111
  tumors, 316
  xanthic calculus, 112

Blennorrhagia: See Gonorrhea

Blood: See also Erythrocytes; Leukocytes
  coagulation; thromboplastic reagent; development of more suitable preparation for measuring accelerated clotting tendency and for use following administration of dicoumarin (3,3'-methylene-bis-[4-hydroxycoumarin]), 137
  iodine studies; analysis of blood iodine in thyroid disease, 207
  pressure, high; renal hypertension, 315
  proteins; postoperative gouty arthritis, 229
  prothrombin; thromboplastic reagent; development of more suitable preparation for measuring accelerated clotting tendency and for use following administration of dicoumarin (3,3'-methylene-bis-[4-hydroxycoumarin]), 137
  transfusion; evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34

Bones: See also under names of bones
  Diseases: See Osteomyelitis; etc.
  osseous, cartilaginous and mixed tumors of human breast; review of literature, 184

Brain, convulsive factor in commercial penicillin, 69

Brambel, C. E.: Thromboplastic reagent; development of more suitable preparation for measuring accelerated clotting tendency and for use following administration of dicoumarin (3,3'-methylene-bis-[4-hydroxycoumarin]), 137

Breast, osseous, cartilaginous and mixed tumors of human breast; review of literature, 184

Bright's Disease: See Nephritis

Bryson, V.: Topical use of concentrated penicillin in surface-active solution, 219

Burns, degenerative white blood cell picture as indication of toxemia from burns, 242
  influence of environmental temperature on shock, 201
  metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

Calculi: See under Bladder; Intestines; Kidneys; Urethra; etc.

Calorimetry: See Metabolism

Cambel, P.: Chronic thyroiditis and primary thyrotoxicosis (exophthalmic goiter), 125

Cancer: See Sarcoma; Tumors; and under names of organs and regions, as Kidneys; Prostate; etc.

Carbuncle, Renal: See Nephritis

Carpus: See Wrist

Cartilage, osseous, cartilaginous and mixed tumors of human breast; review of literature, 184
transplantation of epiphysial cartilage, 148

Cerebrum: See Brain

Chemotherapy, 119, 330. See also Penicillin; Sulfonamides; etc.

Chest: See Thorax

Children: See also Infants
acute appendicitis in childhood, 258

China and Chinese, experience with calculus of bladder in north China, 82

Chondrogenesis: See under Cartilage

Cipolla, A. F.: Masked traumatic rupture of spleen, 87

Climacteric, male, 123

Cold: See also Temperature
anesthesia; amputations, 89

Coleman, F. P.: Traumatic hemothorax; decortication in treatment of chronic uninfected type, 14

Colon: See also Intestines; Sigmoid
cysts of urachus, 174

Convalescence, protein metabolism during convalescence after trauma; recent studies, 166

Convulsions, convulsive factor in commercial penicillin, 69

Cook, E. N.: Review of urologic surgery, 104, 309

Coumarin, thromboplastic reagent; development of more suitable preparation for measuring accelerated clotting tendency and for use following administration of dicoumarin (3,3'-methylene-bis-[4-hydroxycoumarin]), 137

Cryptorchism: See Testes

Curtis, G. M.: Blood iodine studies; analysis of blood iodine in thyroid disease, 207

Cystostomy: See under Bladder

Cysts: See under names of organs and regions, as Kidneys; Urachus; etc.

Dandy, W. E.: Ménière's disease in deaf-mute, 74

Deaf-Mutism, Ménière's disease in deaf-mute, 74

Deformities: See under names of diseases, organs and regions

Derbes, V.: Periarterial infiltration in diagnosis and treatment of migraine; experimental and clinical experiences with eucupine and procaine hydrochloride, 296

Dicoumarin: See Coumarin

Diet and Dietetics: See also Nutrition
metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

D'Ingianni, V.: Early and late postoperative ambulation; comparative study of 303 cases, 214

Disk, Intervertebral: See under Spine

Diverticula: See Bladder; Intestines; etc.

Dmytryk, E. T.: Congenital malformations of anus and rectum; clinical study, 253

Donaldson, G. A.: Meckel's diverticulum containing calculi, 286

Duodenum, Ulcers: See Peptic Ulcer

Elephantiasis; surgical treatment of lymphedema, 269

Engelhardt, H.: Periarterial infiltration in diagnosis and treatment of migraine; experimental and clinical experiences with eucupine and procaine hydrochloride, 296

Enteritis: See Intestines

Enuresis: See Urination, incontinence

Environment, influence of environmental temperature on shock, 201

Epididymis, malignant tumors, 119

Epididymitis, traumatic, and orchitis, 329

Epiphyses, slipping of upper femoral epiphysis; diagnostic and therapeutic considerations, 19
transplantation of epiphysial cartilage, 148

Erythrocytes, count; masked traumatic rupture of spleen, 87

Eucupine: See Migraine

Exophthalmos: See Goiter, exophthalmic

Extremities: See also under names of bones
Amputation: See Amputation
ligation of femoral vein for chronic occlusive arterial disease; review of 118 ligations, 56

Face, acrylic resin as implant for correction of facial deformities, 233

Femur, Epiphyses: See Epiphyses

Fertman, M. B.: Blood iodine studies; analysis of blood iodine in thyroid disease, 207

Ficarra, B. J.: Postoperative gouty arthritis, 229

Fistula, arteriovenous, between right common iliac artery and inferior vena cava; report of case of its occurrence following operation for ruptured intervertebral disk with cure by operation, 6
rectourinary, 124

Food: See Diet and Dietetics; Nutrition

Foot, transplantation of epiphysial cartilage, 148

Foramen, Intervertebral: See under Spine

Freezing: See Cold

Funderburk, W. H.: Convulsive factor in commercial penicillin, 69

Fungi: See Actinomycosis; etc.

Ganglion, Stellate: See Anesthesia

Gangrene, thromboplastic reagent; development of more suitable preparation for measuring accelerated clotting tendency and for use following administration of dicoumarin (3,3'-methylene-bis-[4-hydroxycoumarin]), 137

Gastrectomy: See under Stomach

Gastric Ulcer: See Peptic Ulcer

Gastrointestinal Tract: See Colon; Intestines; Rectum; Stomach; etc.

Gay, L. C.: Pneumothorax resulting from dissecting gastric ulcer; review of literature and report of case, 301

Gelatin, evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34

Genitals: See Genitourinary Tract; Urinary Tract; and under names of genitals, as Penis; etc.

Genitourinary Tract: See also Urinary Tract
tumors of urogenital tract of young persons, 333
use of penicillin in genitourinary infections, 119

Glasser, S. T.: Ligation of femoral vein for chronic occlusive arterial disease; review of 118 ligations, 56

Globulin in Blood: See Blood, proteins

Goiter: See also Thyroid
exophthalmic; chronic thyroiditis and primary thyrotoxicosis (exophthalmic goiter), 125

Gonorrhea, penicillin treatment of, 119
treatment of sulfonamide-resistant gonorrhea with penicillin, 330
Gout, postoperative gouty arthritis, 229
Grace, E. J.: Topical use of concentrated penicillin in surface-active solution, 219
Grafts: See Cartilage
Graves' Disease: See Goiter, exophthalmic
Green, C. C.: Desmoid tumor, 304
Green, W. T.: Slipping of upper femoral epiphysis; diagnostic and therapeutic considerations, 19
Gürkan, K. I.: Chronic thyroiditis and primary thyrotoxicosis (exophthalmic goiter), 125
Gumma: See under Bladder
Gutierrez, R.: Review of urologic surgery, 104, 309

Headache: See Migraine
Heat: See Temperature
Heller, C. G.: Metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194
Hematoma, syndrome of trauma to psoas muscle, 77
Hemorrhoids, methods for reducing pain following hemorrhoidectomy; technic and results in 72 cases, 293
Hemothorax, traumatic; decortication in treatment of chronic uninfected type, 14
Henry, M. G.: Anomalous fusion of scaphoid and greater multangular bone, 240
Hepler, A. B.: Review of urologic surgery, 104, 309
Hermaphroditism, 122, 330
Hinman, F.: Review of urologic surgery, 104, 309
Hirshfeld, J. W.: Metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194
Howard, J. E.: Protein metabolism during convalescence after trauma; recent studies, 166
Hudson, P. B.: Pneumothorax resulting from dissecting gastric ulcer; review of literature and report of case, 301
Hydatid of Morgagni: See Testes
Hydronephrosis, 312
Hypertension: See Blood pressure, high
Hypoprothrombinemia: See Blood, prothrombin

Ileum: See Intestines
Ileus: See Intestines
Incontinence: See Urination, incontinence
Infants, newborn; congenital malformations of anus and rectum; clinical study, 253
Infection: See also Wounds; and under names of bacteria
topical use of concentrated penicillin in surface-active solution, 219
Injuries: See Trauma; and under diseases, organs and regions, as Bladder; Penis; Urethra; etc.
Instruments: See also Apparatus
new surgical, 94
Intervertebral Disk: See Spine, intervertebral disk
Intestines: See also Colon; Rectum; Sigmoid
Intussusception: See Intussusception
Meckel's diverticulum containing calculi, 286
Ulcers: See Peptic Ulcer
Intussusception, unusual ileoileal intussusception, 307
Iodine in Blood: See Blood, iodine
Irrigation, prophylaxis of wound infection; studies with reference to soaps and irrigation, 177

Jackle, R. F.: Internal derangements of knee joint, 271
Jejunum: See Intestines
Ulcers: See Peptic Ulcer
Johnson, H. C.: Convulsive factor in commercial penicillin, 69
Joints: See under names of individual joints, as Knee; etc.

Kidneys: See also Urinary Tract
anomalies, 104, 309
calculi, 106
Diseases: See Hydronephrosis; Nephritis
malignant renal neoplasms; clinical and pathologic study, 46
operations, 313
ptosis, 107
renal hypertension, 315
subcapsular extravasation, 107
trauma, 107
tuberculosis, 312
tumors, 105, 311
Wilms's tumor of, 333
Knee; internal derangements of knee joint, 271
Knox, G.: Lymphosarcoma primary in appendix; study of 23 cases, 288
Kozoll, D. D.: Evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34

Lee, T. F.: Use of omentum to close perforations of stomach, 171
Legs: See also Extremities; Foot; Knee; and under names of bones
Amputation: See Amputation
Leukocytes, degenerative white blood cell picture as indication of toxemia from burns, 242
von Lichtenberg, A.: Review of urologic surgery, 104, 309
Ligaments: See Knee
Triangular: See Wrist
Linton, R. R.: Arteriovenous fistula between right common iliac artery and inferior vena cava; report of case of its occurrence following operation for ruptured intervertebral disk with cure by operation, 6
Livingstone, H.: Continuous spinal anesthesia; observations on 1,200 patients, 130
Lungs: See Respiration; Thorax; etc.
Lymph Nodes: See Lymphosarcoma
Lymphedema: See Elephantiasis
Lymphosarcoma primary in appendix; study of 23 cases, 288

Mammary Gland: See Breast
Martin, R. C.: Continuous spinal anesthesia; observations on 1,200 patients, 130
Meckel's Diverticula: See under Intestines
Medicine, Military: See Military Medicine
Melick, D. W.: Subtotal gastrectomy, 223
Ménière's Disease: See Vertigo, aural
Metabolism, blood iodine studies; analysis of blood iodine in thyroid disease, 207
metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194
3,3'-Methylene-Bis-(4-Hydroxycoumarin): See Coumarin
Meyer, F.: Metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

Meyer, K. A.: Evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34

Michelson, E.: Syndrome of trauma to psoas muscle, 77

Micturition: See Urination

Migraine, periarterial infiltration in diagnosis and treatment; experimental and clinical experiences with eucupine and procaine hydrochloride, 296

Military Medicine, internal derangements of knee joint, 271
  testicular tumors, 63

Multangular Bone: See Wrist

Muscles, syndrome of trauma to psoas muscle, 77

Narat, J. K.: Masked traumatic rupture of spleen, 87

Narcosis: See Anesthesia

Navicular Bone: See Scaphoid Bone, Carpal

Nephrectomy: See under Kidneys

Nephritis, surgical aspect of, 314

Nerves, Blocking: See under Anesthesia
  early repair of neural wounds with penicillin therapy, 67

Nervous System: See Brain; Nerves; etc.

Newborn Infants: See Infants, newborn

Newman, H. E.: Pneumothorax resulting from dissecting gastric ulcer; review of literature and report of case, 301

Nipple: See Breast

Nitrogen, metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

Norcross, N. C.: Early repair of neural wounds with penicillin therapy, 67

Nucleus Pulposus: See Spine, intervertebral disk

Nutrition: See also Diet and Dietetics; etc.
  experience with calculus of bladder in north China, 82

Obi, R.: Metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

O'Conor, V. J.: Review of urologic surgery, 104, 309

Oliguria: See Urine, suppression

Omentum, use to close perforations of stomach, 171

Operating Rooms: See Surgery

Orchitis: See Testes

Orthopedic Surgery, progress for 1943; review prepared by Editorial Board of American Academy of Orthopaedic Surgeons, 89

Osteomyelitis, topical use of concentrated penicillin in surface-active solution, 219

Owings, J. C.: Methods for reducing pain following hemorrhoidectomy; technic and results in 72 cases, 293

Oxygen: See Respiration

Pain, methods for reducing pain following hemorrhoidectomy; technic and results in 72 cases, 293

Patzer, R.: Periarterial infiltration in diagnosis and treatment of migraine; experimental and clinical experiences with eucupine and procaine hydrochloride, 296

Paul, M.: Unusual ileoileal intussusception, 307

Pectin, evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34

Penhale, K. W.: Acrylic resin as implant for correction of facial deformities, 233

Penicillin, commercial, convulsive factor in, 69
  topical use of concentrated penicillin in surface-active solution, 219
  Therapy: See Gonorrhea; Nerves; etc.

Penis, trauma, 119

Peptic Ulcer, pneumothorax resulting from dissecting gastric ulcer; review of literature and report of case, 301

Peterson, L. W.: Prophylaxis of wound infection; studies with reference to soaps and irrigation, 177

Phimosis, 330

Pilling, M. A.: Metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

Plastic Surgery: See under Face

Plastics: See Acrylic Resin

Pneumothorax resulting from dissecting gastric ulcer; review of literature and report of case, 301

Popper, H.: Evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34

Prepuce: See Penis; Phimosis

Price, P. B.: Experience with calculus of bladder in north China, 82
  Use of omentum to close perforations of stomach, 171

Prinzmetal, M.: Influence of environmental temperature on shock, 201

Procaine Hydrochloride: See Anesthesia; Migraine

Prostate, carcinoma, 115, 318
  operations on, 113, 327

Prostatectomy: See under Prostate

Proteins, in Blood: See Blood, proteins
  metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194
  metabolism during convalescence after trauma; recent studies, 166

Prothrombin: See Blood, coagulation

Ptosis: See under Kidneys

Pyuria: See Urinary Tract, infections

Ransohoff, J. L.: Surgical treatment of lymphedema, 269

Recruits: See Military Medicine

Rectum, congenital malformations of anus and rectum; clinical study, 253
  urinary retention after operations on rectum and sigmoid, 334

Refrigeration: See Cold

Research, 97

Respiration, traumatic hemothorax; decortication in treatment of chronic uninfected type, 14

Richards, A. J.: Metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

Roentgen Rays: See under names of organs, regions and diseases

Rottino, A.: Osseous, cartilaginous and mixed tumors of human breast; review of literature, 184

Sarcoma: See also Lymphosarcoma; Tumors; etc.
  osseous, cartilaginous and mixed tumors of human breast; review of literature, 184

Sawyer, C. F.: Cysts of urachus, 174

Scaphoid Bone, Carpal; anomalous fusion of scaphoid and greater multangular bone, 240

Schmidt, E. R.: Subtotal gastrectomy, 223

Scholl, A. J.: Review of urologic surgery, 104, 309

Scott, H. W., Jr.: Acute appendicitis in childhood, 258

Sex, Intergrades: See Hermaphroditism

Shock, clinical, orientation to mechanisms of, 1
evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34
influence of environmental temperature on, 201

Sigmoid: See also Colon; Intestines
urinary retention after operations on rectum and sigmoid, 334

Soaps, prophylaxis of wound infection; studies with reference to soaps and irrigation, 177

de Sousa Pereira, A.: Blocking of middle cervical and stellate ganglions with descending infiltration anesthesia; technic, accidents and therapeutic indications, 152

Spermatic Cord, tumors, 119

Spine, intervertebral disk; arteriovenous fistula between right common iliac artery and inferior vena cava; report of case of its occurrence following operation for ruptured intervertebral disk with cure by operation, 6

Spleen, masked traumatic rupture of, 87

Stead, E. A., Jr.: Orientation to mechanisms of clinical shock, 1

Steigmann, F.: Evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34

Steindler, A.: Research, 97

Stomach, subtotal gastrectomy, 223
Ulcers: See Peptic Ulcer
use of omentum to close perforations of, 171

Sulfonamides and anuria, 120

Surgery: See also Apparatus; Instruments; Wounds; etc.
early and late postoperative ambulation; comparative study of 303 cases, 214
postoperative gouty arthritis, 229
thromboplastic reagent; development of more suitable preparation for measuring accelerated clotting tendency and for use following administration of dicoumarin (3,3′-methylene-bis-[4-hydroxycoumarin]), 137

Syphilis: See under names of organs and regions

Temperature: See also Cold
influence of environmental temperature on shock, 201

Testes: See also Epididymis; Epididymitis
cryptorchism, 327
rupture of, 328
traumatic epididymitis and orchitis, 329
tumors, 63, 118, 327

Thompson, G. J.: Review of urologic surgery, 104, 309

Thorax, surgery, some recent accomplishments of, 277
traumatic hemothorax; decortication in treatment of chronic uninfected type, 14

Thrombophlebitis, thromboplastic reagent; development of more suitable preparation for measuring accelerated clotting tendency and for use following administration of dicoumarin (3,3′-methylene-bis-[4-hydroxycoumarin]), 137

Thyroid, blood iodine studies; analysis of blood iodine in thyroid disease, 207
chronic thyroiditis and primary thyrotoxicosis (exophthalmic goiter), 125

Thyroiditis: See under Thyroid

Thyrotoxicosis: See Goiter

Toxemia, degenerative white blood cell picture as indication of toxemia from burns, 242

Transplantation: See Cartilage; Ureters; etc.

Trauma: See also Hemothorax; Shock; etc.
protein metabolism during convalescence after trauma; recent studies, 166
masked traumatic rupture of spleen, 87
thromboplastic reagent; development of more suitable preparation for measuring accelerated clotting tendency and for use following administration of dicoumarin (3,3′-methylene-bis-[4-hydroxycoumarin]), 137

Tuberculosis: See under names of diseases, organs and regions, as Kidneys; etc.

Tumors: See also Lymphosarcoma; Sarcoma; and under names of organs and regions, as Bladder; Breast; Kidneys; Testes; Ureters; etc.
desmoid, 304
osseous, cartilaginous and mixed tumors of human breast; review of literature, 184
Wilms: See under Kidneys

Ulcers, Peptic: See Peptic Ulcer

Urachus, cysts of, 174

Ureterotomy: See under Ureters

Ureters: See also Urinary Tract
intubated ureterotomy, 109
transplantation, 108
tumors, 315

Urethra, calculi, 329
repair, 116
trauma, 329

Urinary Tract: See also Genitourinary Tract; Kidneys; Ureters; etc.
aneurysm and urinary symptoms, 123
infections, 122, 330
roentgenologic aspects of urology, 124

Urination, incontinence; stress incontinence, 113
urinary retention after operations on rectum and sigmoid, 334

Urine: See also Urination
suppression; sulfonamide compounds and anuria, 120

Urologic surgery, review of, 104, 309

Van Duyn, J., II: Degenerative white blood cell picture as indication of toxemia from burns, 242

Vasomotor System: See Arteries; Blood pressure; Veins

Veins: See also Thrombophlebitis
ligation of femoral vein for chronic occlusive arterial disease; review of 118 ligations, 56
Pressure: See Blood pressure

Venous Pressure: See Blood pressure

Vermooten, V.: Testicular tumors, 63

Vertebrae: See Spine

Vertigo, aural; Ménière's disease in deaf-mute, 74

Verumontanum: See Urethra

Vincenti, A. L.: Masked traumatic rupture of spleen, 87

Vitamins, K: See Blood, coagulation

Volk, B. W.: Evaluation of gelatin and pectin solutions as substitutes for plasma in treatment of shock; histologic changes produced in human beings, 34

Walker, A. E.: Convulsive factor in commercial penicillin, 69

War: See Military Medicine; Wounds; etc.

Ware, P. F.: Acute appendicitis in childhood, 258

Warren, J. V.: Orientation to mechanisms of clinical shock, 1

Weinberg, T.: Malignant renal neoplasms; clinical and pathologic study, 46

Wellman, V.: Continuous spinal anesthesia; observations on 1,200 patients, 130

Wenger, H. L.: Transplantation of epiphysial cartilage, 148

White, J. W.: Amputations, apparatus and technic, 89

White, P. D.: Arteriovenous fistula between right common iliac artery and inferior vena cava; report of case of its occurrence following operation for ruptured intervertebral disk with cure by operation, 6

Wildbolz, E.: Review of urologic surgery, 104, 309

Williams, H. H.: Metabolic alterations following thermal burns; effect of variations in food intake on nitrogen balance of burned patients, 194

Willson, K.: Osseous, cartilaginous and mixed tumors of human breast; review of literature, 184

Wilms Tumor: See under Kidneys

Wounds: See also Military Medicine
prophylaxis of wound infection; studies with reference to soaps and irrigation, 177
traumatic hemothorax; decortication in treatment of chronic uninfected type, 14

Wrist: See also Scaphoid Bone, Carpal
anomalous fusion of scaphoid and greater multangular bone, 240